



PISTOLS



**IMPROVED
PISTOLS**



C9 COMPACT

Our 9x19 mm Pistols are advanced semi-automatic pistols designed in a versatile compact class with a polymer body and safe action system.

with QPQ / CERAKOTE® coating options.



MODEL **C9**
CALIBER **9 MM**
MAGAZINE CAPACITY **15+1**
DA/SA **SA**
TRIGGER DISTANCE **2.83"**


LENGTH **7.60"**
HEIGHT **5.33"**
WIDTH **1.30"**
BARREL LENGTH **4.02"**
SIGHT RADIUS **5.94"**

EMPTY MAGAZINE **694 G**
FULL MAGAZINE **883 G**
PICATINNY RAIL **MIL-STD-1913**
TRIGGER PULL **20-25 N**

SOURCE OF POWER



POWERFUL AND EFFECTIVE



They have a firing speed of 350-370 m/s, are suitable for all terrains, and compensated spring system. A reinforced high-strength barrel. It's suitably sized for single-hand and tactical shooting we have especially attached a universal Picatinny rail for the user to attach any accessory they want.

We have designed the pistols with a double-sided magazine catch providing right- and left-hand usage.



THREADED BARREL / RMR CUT OPTIONAL



1 - BACK STRAP

2 - REAR SIGHT

3 - SLIDE STOP LEVER

4 - REVERSIBLE MAGAZINE CATCH

5 - 4.4" BARREL

6 - TRIGGER SAFETY

7 - LIGHT/LASER RAIL

8 - FRONT SIGHT



C9



FS

FULL-SIZE

with QPQ / CERAKOTE® coating options.

**STRENGTH
COMES**



**FROM
THE
HEART**





C9

ULTIMATE

RMR CUT | THREADED BARREL

with **QPQ / CERAKOTE®** coating options.

The polymer body with a special texture has been developed for maximum grip safety.

C9FS

TECHNICAL DATA

CALIBER 9 MM

PISTOL SIZE **FULL-SIZE**

OVERALL LENGHT 8"

OVERALL WIDTH 1.3"

HEIGHT 5.33"

BARREL LENGHT 4.8"

EMPTY MAGAZINE 765 G

FULL MAGAZINE 954 G

TRIGGER PULL 20-25 N

TRIGGER DISTANCE 2.83"

TRIGGER TYPE **SAFETY FLAT**

ACCESSORY RAIL **M1913**

MAGAZINE CAPACITY 15+1

SIGHT RADIUS 6.73"





SC9

SUBCOMPACT

with QPQ / CERAKOTE® coating options.



C9SC is designed in the popular 9mm caliber, which provides its owner with the advantages of easy carrying and use due to its size, weight, and ergonomics

OVERALL LENGTH 6.61"

OVERALL WIDTH 1.3"

HEIGHT 4.25"

BARREL LENGTH 3.43"

SIGHT RADIUS 5.35"

TRIGGER PULL 20-25 N

727 G 601 g empty magazine
/ 10 round magazine

It is a subcompact pistol developed for minimum recoil and fast rate of fire.





IMEX is an innovative weapon manufacturing company located in Karlovy Vary, Czech Republic. The IMEX's team are industry-leading professionals who are dedicated to providing the highest performing products for the shooting community. Premium materials, components, and meticulous quality control are the hallmarks of all IMEX products.

length 7.7"

sight radius: 6,5"



height 5.2"

width 1.1"



Weight unloaded 29.6 oz.

IMEX Type B: Standard

IMEX Type B is a semi-automatic polymer pistol developed with a focus on shooters. It is designed to combine excellent performance, versatility, and ease of control. The Type Bs' innovative features all work for a better shooting experience

ACTION:

STRIKER-FIRED

CALIBER:

9x19

LOCKING SYSTEM:

AF-SPEEDLOCK®

GRIP:

MODULAR, BLACK POLYMER

FRAME:

STEEL, NITRIDE FINISH

SLIDE:

STEEL, NITRIDE FINISH

MAGAZINES INCLUDED:

2 X 16 RDS & 2 X 19 RDS

TRIGGER:

TACTILE-SHORT RESET

TRIGGER WEIGHT:

4.5 LBS.

GRIP TAPE:

TALON GRIP RUBBER-BLACK TEXTURE STANDARD

MAGWELL:

FLARED

BARREL:

4.3", 6 GROVES, 1:10 RH TWIST, 45° CROWN, NITRIDE FINISH

SAFETY:

TRIGGER BLOCK, FIRING PIN SAFETY BLOCK, TRIGGER BARREL LOCK

● Lock

● Manual

● Premium Range Bag

● Made in the Czech Republic

length 7.7"



height 5.2"

width 1.1"



IMEX Type B: OR

IMEX Type B, on top of all the features of the standard, comes with a slide cut for specific red-dot products (RMS, RMS and ACRO P-2/C-2 footprints available)

ACTION:

STRIKER-FIRED

CALIBER:

9x19

LOCKING SYSTEM:

AF-SPEEDLOCK®

GRIP:

MODULAR, BLACK POLYMER

FRAME:

STEEL, NITRIDE FINISH

SLIDE:

STEEL, NITRIDE FINISH

MAGAZINES INCLUDED:

2 X 16 RDS & 2 X 19 RDS

TRIGGER:

TACTILE-SHORT RESET

TRIGGER WEIGHT:

4.5 LBS.

GRIP TAPE:

TALON GRIP RUBBER-BLACK TEXTURE STANDARD

MAGWELL:

FLARED

BARREL:

4.3", 6 GROVES, 1:10 RH TWIST, 45° CROWN, NITRIDE FINISH

SAFETY:

TRIGGER BLOCK, FIRING PIN SAFETY BLOCK, TRIGGER BARREL

OPTIC CUT:

SHIELD SIGHT WITH COVER PLATE

- Lock
- Manual

- Premium Range Bag
- Made in the Czech Republic

* Red dot sight is not included

length 8.4"



height 5.2"

width 1.1"



IMEX Type B: SR

IMEX Type B, SR offers a threaded barrel for the mounting of a suppressor and other muzzle devices over and above the standard pistol features.

<u>ACTION:</u>	STRIKER-FIRED
<u>CALIBER:</u>	9x19
<u>LOCKING SYSTEM:</u>	AF-SPEEDLOCK®
<u>GRIP:</u>	MODULAR, BLACK POLYMER
<u>FRAME:</u>	STEEL, NITRIDE FINISH
<u>SLIDE:</u>	STEEL, NITRIDE FINISH
<u>MAGAZINES INCLUDED:</u>	2 X 16 RDS & 2 X 19 RDS
<u>TRIGGER:</u>	TACTILE-SHORT RESET
<u>TRIGGER WEIGHT:</u>	4.5 LBS.
<u>GRIP TAPE:</u>	TALON GRIP RUBBER-BLACK TEXTURE STANDARD
<u>MAGWELL:</u>	FLARED
<u>BARREL:</u>	4.3", 6 GROVES, 1:10 RH TWIST, 45° CROWN, NITRIDE FINISH
<u>SAFETY:</u>	TRIGGER BLOCK, FIRING PIN SAFETY BLOCK, TRIGGER BARREL SAFETY

- Lock
- Manual
- Premium Range Bag
- Made in the Czech Republic

length 8.4"



height 5.2"

width 1.1"



IMEX Type B: OR SR

IMEX Type B, OR SR is a top model of the pistols with all the standard features, a slide cut for specific red-dot products (RMS, RMS and ACRO P-2/C-2 footprints available), and a threaded barrel for the mounting of a suppressor and other compatible muzzle devices

ACTION:

STRIKER-FIRED

CALIBER:

9x19

LOCKING SYSTEM:

AF-SPEEDLOCK®

GRIP:

MODULAR, BLACK POLYMER

FRAME:

STEEL, NITRIDE FINISH

SLIDE:

STEEL, NITRIDE FINISH

MAGAZINES INCLUDED:

2 X 16 RDS & 2 X 19 RDS

TRIGGER:

TACTILE-SHORT RESET

TRIGGER WEIGHT:

4.5 LBS.

GRIP TAPE:

TALON GRIP RUBBER-BLACK TEXTURE STANDARD

MAGWELL:

FLARED

BARREL:

4.3", 6 GROVES, 1:10 RH TWIST, 45° CROWN, NITRIDE FINISH

SAFETY:

TRIGGER BLOCK, FIRING PIN SAFETY BLOCK, TRIGGER BARREL

OPTIC CUT:

SHIELD SIGHT WITH COVER PLATE

- Lock
- Manual

- Premium Range Bag
- Made in the Czech Republic

* Red dot sight is not included

length 7.7"

sight radius: 6,5"



height 5.2"

width 1.1"



Weight unloaded 29.6 oz.

IMEX Type D: Standard

IMEX Type D is a semi-automatic polymer pistol developed with a focus on shooters. It is designed to combine excellent performance, versatility, and ease of control. The Type Bs' innovative features all work for a better shooting experience

<u>ACTION:</u>	STRIKER-FIRED
<u>CALIBER:</u>	9x19
<u>LOCKING SYSTEM:</u>	AF-SPEEDLOCK®
<u>GRIP:</u>	MODULAR, BLACK POLYMER
<u>FRAME:</u>	STEEL, NITRIDE FINISH
<u>SLIDE:</u>	STEEL, NITRIDE FINISH
<u>MAGAZINES INCLUDED:</u>	2 X 16 RDS & 2 X 19 RDS
<u>TRIGGER:</u>	TACTILE-SHORT RESET
<u>TRIGGER WEIGHT:</u>	4.5 LBS.
<u>GRIP TAPE:</u>	TALON GRIP RUBBER-BLACK TEXTURE STANDARD
<u>MAGWELL:</u>	FLARED
<u>BARREL:</u>	4.3", 6 GROVES, 1:10 RH TWIST, 45° CROWN, NITRIDE FINISH
<u>SAFETY:</u>	TRIGGER BLOCK, FIRING PIN SAFETY BLOCK, TRIGGER BARREL SAFETY

- Lock
- Premium Range Bag
- Manual
- Made in the Czech Republic

length 7.7"



height 5.2"

width 1.1"



IMEX Type D, OR

IMEX Type D, on top of all the features of the standard, comes with a slide cut for specific red-dot products (RMS, RMS and ACRO P-2/C-2 footprints available)

ACTION:

STRIKER-FIRED

CALIBER:

9x19

LOCKING SYSTEM:

AF-SPEEDLOCK®

GRIP:

MODULAR, BLACK POLYMER

FRAME:

STEEL, NITRIDE FINISH

SLIDE:

STEEL, NITRIDE FINISH

MAGAZINES INCLUDED:

2 X 16 RDS & 2 X 19 RDS

TRIGGER:

TACTILE-SHORT RESET

TRIGGER WEIGHT:

4.5 LBS.

GRIP TAPE:

TALON GRIP RUBBER-BLACK TEXTURE STANDARD

MAGWELL:

FLARED

BARREL:

4.3", 6 GROVES, 1:10 RH TWIST, 45° CROWN, NITRIDE FINISH

SAFETY:

TRIGGER BLOCK, FIRING PIN SAFETY BLOCK, TRIGGER BARREL

- Lock
- Manual

- Premium Range Bag
- Made in the Czech Republic

* Red dot sight is not included

length 8.4"



height 5.2"

width 1.1"



IMEX Type D, SR

IMEX Type D, SR offers a threaded barrel for the mounting of a suppressor and other muzzle devices over and above the standard pistol features

ACTION:

STRIKER-FIRED

CALIBER:

9x19

LOCKING SYSTEM:

AF-SPEEDLOCK®

GRIP:

MODULAR, BLACK POLYMER

FRAME:

STEEL, NITRIDE FINISH

SLIDE:

STEEL, NITRIDE FINISH

MAGAZINES INCLUDED:

2 X 16 RDS & 2 X 19 RDS

TRIGGER:

TACTILE-SHORT RESET

TRIGGER WEIGHT:

4.5 LBS.

GRIP TAPE:

TALON GRIP RUBBER-BLACK TEXTURE STANDARD

MAGWELL:

FLARED

BARREL:

4.3", 6 GROVES, 1:10 RH TWIST, 45° CROWN, NITRIDE FINISH

SAFETY:

TRIGGER BLOCK, FIRING PIN SAFETY BLOCK, TRIGGER BARREL SAFETY

- Lock
- Manual

- Premium Range Bag
- Made in the Czech Republic

length 8.4"



height 5.2"

width 1.1"



IMEX Type D, OR SR

IMEX Type D, OR SR is a top model of the pistols with all the standard features, a slide cut for specific red-dot products (RMS, RMS and ACRO P-2/C-2 footprints available), and a threaded barrel for the mounting of a suppressor and other compatible muzzle devices

<u>ACTION:</u>	STRIKER-FIRED
<u>CALIBER:</u>	9x19
<u>LOCKING SYSTEM:</u>	AF-SPEEDLOCK®
<u>GRIP:</u>	MODULAR, BLACK POLYMER
<u>FRAME:</u>	STEEL, NITRIDE FINISH
<u>SLIDE:</u>	STEEL, NITRIDE FINISH
<u>MAGAZINES INCLUDED:</u>	2 X 16 RDS & 2 X 19 RDS
<u>TRIGGER:</u>	TACTILE-SHORT RESET
<u>TRIGGER WEIGHT:</u>	4.5 LBS.
<u>GRIP TAPE:</u>	TALON GRIP RUBBER-BLACK TEXTURE STANDARD
<u>MAGWELL:</u>	FLARED
<u>BARREL:</u>	4.3", 6 GROVES, 1:10 RH TWIST, 45° CROWN, NITRIDE FINISH
<u>SAFETY:</u>	TRIGGER BLOCK, FIRING PIN SAFETY BLOCK, TRIGGER BARREL LOCK

- Lock
- Premium Range Bag
- Manual
- Made in the Czech Republic

* Red dot sight is not included



5" Threaded barrel

The Type B features the AF-Speedlock® technology. The patented and proven locking system prevents the barrel from tilting during the slide cycle, lending to a flatter shooting experience with less felt recoil. This technology also lends the gun to work reliably with a wide range of suppressors. Therefore, we offer threaded barrels in 1/2x28tpi and 13.5x1lh options compatible with a wide range of suppressors.



Rubber-black



Pro



Granulate-black



Adjustable length:



Medium 5.2"

Full 5.75"

The Gen II modular grip system allows the user to configure the pistol to personal preference and comes standard with ultra-ergonomic Talon Grips.

16-round magazine

19-round magazine



LIFE
TIME
WARRANTY





SPECIFICATIONS

ERMox X-FIRE 9mm Compact Safe-Action Pistol	
CALIBER	9x19
SYSTEM	Safe Action
LENGTH	7.04 in. / 179 mm
HEIGHT (incl magazine)	5 in. / 127 mm
LENGTH OF THE SLIDE	6.84 in. / 173,93 mm
WIDTH OF THE SLIDE	1.08 in. / 27,55 mm
WIDTH	1.29 in. / 33 mm
HANDLE HEIGHT OF BARREL AXLE	1.26 in. / 32 mm
SIGHT LINE	6.14 in. / 156 mm
LENGTH OF THE BARREL	4.01 in. / 102 mm
WEIGHT (empty)	1.74 lbs. / 790 gr
WEIGHT (loaded)	2.13 lbs. / 969 gr
MAGAZINE CAPACITY	Standard 15 Optional 17,19,24,31,33
TRIGGER WEIGHT	5.51 lbs. / 2500 gr
TRIGGER PATH	0.49 in. / 12,5 mm
BARREL GROOVE SET	Right Rotating (hexagonal)
GROOVE SET ROTATION ROD	9.84 in. / 250 mm
TYPE OF AMMUNITION	Centerfire

MPN CODE **TK670-F1**
UPC CODE **860010681404**



The X-Fire is the perfect harmony of reliability and comfort providing unlimited shooting pleasure with its dual-recoil spring and extreme safety with World famous SafeAction system.

With its expertly crafted, tennifer Coated, perforated 4140 Steel Slide and space-grade, eloxal+fixage plated aluminum-milled frame, the X-Fire promises a lifetime service. Full metal configuration, low barrel bore axis, and aggressive texture on the grips provide maximum control and faster aim recovery while shooting.

The pistol comes with interchangeable grip panels for a more customizable experience. The X-Fire is Glock® compatible and accepts any Glock® Magazines in any rounds. The slide comes standard with TruGlo fiberoptic sights and 3 RMRplate cuts to directly mount a sight instead of impractical plates or adapters. The X-Fire allows the most popular red-dot sights brands to be mounted:

- Truglo
- Docter
- Meopta
- Insight
- Vortex
- C-More
- Trijicon
- Holosun

Very elegant hard plastic case in an carton box includes 2 pieces 15 rounds magazines, 3 plates, cleaning kit and spare color grip panels.

The Glock® compatible barrel is nitride, honed, burnished and plated for an unparalleled accuracy. The X-Fire is the out come of meticulous engineers' hardwork, competitive shooters' torture tests and law enforcements' precious advice.







Very elegant hard plastic case in an carton box includes 2 pieces 15 rounds magazines, 3 plates, cleaning kit and spare color grip panels





SPECIFICATIONS

Caliber	9 mm
Barrel Length / Type	4" / 5.1" Bull
Sight Radius Inches	6.8
Total Weight	1080 g.
Trigger Break Weight	<2 lb.
Rear Sight	LPA
Front Sight Type / Size	Fiber / Iron
Recommend Service	15k
Optic Ready (RDS)	Yes
Recoil Spring Length/LB	5.0" Full 9lb
Main Spring	17
Magwell	Aluminum
Finish Type	Tennifer / PVD
Grip	Modular
Grip Material	Aluminum
High Grip Ambi Safeties	Yes
Tactical Rail	Yes
Reset	0,5 mm









IMEX ARMS BY
IMEX



2701 COZART RD MULBERRY,
FL 33860-8966

+1 (656) 215-6714

imexarms.com

info@imexarms.com

