



PROFESSIONAL HARDCASES





About Us

IM EX design engineers created strong cage structure for using under difficult conditions. During stacking; the cases are held each other and can not move.

IM EX is more flexible, more durable and lighter with its special Polypropylene (PP).

Polyoxymethylene (POM) material used in the production of handles so it can carry heavy loads in all kinds of difficult conditions. TPU material is coated on it. It ensures your hand grasping and will never slip off. It has enough space for gloved use.

IM EX is designed with locked frame and gasket so dust, moisture, water and chemicals can never go in. With the air valve in the case, the case can keep the internal pressure under control.

IM EX absorbs all kinds of impacts; even on very low and very high temperatures with the lock frame around it and it also prevents damage to the product inside. It has also strong structure in accordance with Military standards and lock-latch mechanism.

IM EX has padlock sections on all model for extra security.

IM EX design engineers will provide you on purpose solutions by evaluating the demands of the special hardcase and interior foam design.

IM EX; is registered brand of Gökçeler Makine Ltd. Şti. which is active in the defense industry for many years.

Gökçeler Makine founded in 2022, our company has been manufacturing precise parts for many customers on different industries until 2012. In 2012, the company began to manufacture critical parts for defense industry firms and became a reliable partner of the companies. It worked with in a short time of period with the prescribed quality, on time delivery and competitive price.

Our company, which has Design, Engineering, Mold Design and Production capabilities, started to produce hard cases for supporting defence industry firms in 2017.

IM EX produces hardcases with smart solutions with foam design in accordance with the requests of our customers.

IM EX



BC 100



IM EX hardcases are waterproof, dustproof and dampproof with its strong structure and design. Resistant to harsh climate conditions.

IM EX offers you protection of military equipment, action cameras, laptop / drones, weapons and ammunition; offers you smart solutions with a variety of foams to fit the case of the product you want to buy.



Color Options



BC 200



IM EX hardcases are waterproof, dustproof and dampproof with its strong structure and design. Resistant to harsh climate conditions.

IM EX offers you protection of military equipment, action cameras, laptop / drones, weapons and ammunition; offers you smart solutions with a variety of foams to fit the case of the product you want to buy.



Color Options



BC 210



IM EX hardcases are waterproof, dustproof and dampproof with its strong structure and design. Resistant to harsh climate conditions.

IM EX offers you protection of military equipment, action cameras, laptop / drones, weapons and ammunition; offers you smart solutions with a variety of foams to fit the case of the product you want to buy.



Color Options



BC 300



IM EX hardcases are waterproof, dustproof and dampproof with its strong structure and design. Resistant to harsh climate conditions.

IM EX offers you protection of military equipment, action cameras, laptop / drones, weapons and ammunition; offers you smart solutions with a variety of foams to fit the case of the product you want to buy.



Color Options



BC 310



IM EX hardcases are waterproof, dustproof and dampproof with its strong structure and design. Resistant to harsh climate conditions.

IM EX offers you protection of military equipment, action cameras, laptop / drones, weapons and ammunition; offers you smart solutions with a variety of foams to fit the case of the product you want to buy.



Color Options



IM EX



BC 400



IM EX hardcases are waterproof, dustproof and dampproof with its strong structure and design. Resistant to harsh climate conditions.

IM EX offers you protection of military equipment, action cameras, laptop / drones, weapons and ammunition; offers you smart solutions with a variety of foams to fit the case of the product you want to buy.



Color Options



BC 410



IM EX hardcases are waterproof, dustproof and dampproof with its strong structure and design. Resistant to harsh climate conditions.

IM EX offers you protection of military equipment, action cameras, laptop / drones, weapons and ammunition; offers you smart solutions with a variety of foams to fit the case of the product you want to buy.



Color Options



BC 500



IM EX hardcases are waterproof, dustproof and dampproof with its strong structure and design. Resistant to harsh climate conditions.

IM EX offers you protection of military equipment, action cameras, laptop / drones, weapons and ammunition; offers you smart solutions with a variety of foams to fit the case of the product you want to buy.



Color Options



BC 510



IM EX hardcases are waterproof, dustproof and dampproof with its strong structure and design. Resistant to harsh climate conditions.

IM EX offers you protection of military equipment, action cameras, laptop / drones, weapons and ammunition; offers you smart solutions with a variety of foams to fit the case of the product you want to buy.



Color Options





Handles that you can trust in all conditions, are suitable for use with gloves

Soft tpu material that prevents hand slippage

Lock Mechanism

Pressure valve

Stacking slots

Padlock holes for slot for extra security



Strong plastic frames

Fine sand pattern plastic surfaces

Strong cage structure

Special gasket provides sealing against dust, water and chemicals

On purpose solutions with Borucase



PISTOL CASES



Color Options



PISTOL CASES



Color Options



PISTOL CASES



Color Options



PISTOL CASES



Color Options



[illegible][illegible][illegible][illegible][illegible]



GS TEST AMM

Yatırımcı ve alıcılar
için teknik raporlar
ve değerlendirmeler

Finans Raporları
Finansal Kurumlar - Yatırımcılar İçin

Ekler
Ek-1
Ek-2
Ek-3
Ek-4
Ek-5
Ek-6
Ek-7
Ek-8
Ek-9
Ek-10
Ek-11
Ek-12
Ek-13
Ek-14
Ek-15
Ek-16
Ek-17
Ek-18
Ek-19
Ek-20
Ek-21
Ek-22
Ek-23
Ek-24
Ek-25
Ek-26
Ek-27
Ek-28
Ek-29
Ek-30
Ek-31
Ek-32
Ek-33
Ek-34
Ek-35
Ek-36
Ek-37
Ek-38
Ek-39
Ek-40
Ek-41
Ek-42
Ek-43
Ek-44
Ek-45
Ek-46
Ek-47
Ek-48
Ek-49
Ek-50
Ek-51
Ek-52
Ek-53
Ek-54
Ek-55
Ek-56
Ek-57
Ek-58
Ek-59
Ek-60
Ek-61
Ek-62
Ek-63
Ek-64
Ek-65
Ek-66
Ek-67
Ek-68
Ek-69
Ek-70
Ek-71
Ek-72
Ek-73
Ek-74
Ek-75
Ek-76
Ek-77
Ek-78
Ek-79
Ek-80
Ek-81
Ek-82
Ek-83
Ek-84
Ek-85
Ek-86
Ek-87
Ek-88
Ek-89
Ek-90
Ek-91
Ek-92
Ek-93
Ek-94
Ek-95
Ek-96
Ek-97
Ek-98
Ek-99
Ek-100
Ek-101
Ek-102
Ek-103
Ek-104
Ek-105
Ek-106
Ek-107
Ek-108
Ek-109
Ek-110
Ek-111
Ek-112
Ek-113
Ek-114
Ek-115
Ek-116
Ek-117
Ek-118
Ek-119
Ek-120
Ek-121
Ek-122
Ek-123
Ek-124
Ek-125
Ek-126
Ek-127
Ek-128
Ek-129
Ek-130
Ek-131
Ek-132
Ek-133
Ek-134
Ek-135
Ek-136
Ek-137
Ek-138
Ek-139
Ek-140
Ek-141
Ek-142
Ek-143
Ek-144
Ek-145
Ek-146
Ek-147
Ek-148
Ek-149
Ek-150
Ek-151
Ek-152
Ek-153
Ek-154
Ek-155
Ek-156
Ek-157
Ek-158
Ek-159
Ek-160
Ek-161
Ek-162
Ek-163
Ek-164
Ek-165
Ek-166
Ek-167
Ek-168
Ek-169
Ek-170
Ek-171
Ek-172
Ek-173
Ek-174
Ek-175
Ek-176
Ek-177
Ek-178
Ek-179
Ek-180
Ek-181
Ek-182
Ek-183
Ek-184
Ek-185
Ek-186
Ek-187
Ek-188
Ek-189
Ek-190
Ek-191
Ek-192
Ek-193
Ek-194
Ek-195
Ek-196
Ek-197
Ek-198
Ek-199
Ek-200
Ek-201
Ek-202
Ek-203
Ek-204
Ek-205
Ek-206
Ek-207
Ek-208
Ek-209
Ek-210
Ek-211
Ek-212
Ek-213
Ek-214
Ek-215
Ek-216
Ek-217
Ek-218
Ek-219
Ek-220
Ek-221
Ek-222
Ek-223
Ek-224
Ek-225
Ek-226
Ek-227
Ek-228
Ek-229
Ek-230
Ek-231
Ek-232
Ek-233
Ek-234
Ek-235
Ek-236
Ek-237
Ek-238
Ek-239
Ek-240
Ek-241
Ek-242
Ek-243
Ek-244
Ek-245
Ek-246
Ek-247
Ek-248
Ek-249
Ek-250
Ek-251
Ek-252
Ek-253
Ek-254
Ek-255
Ek-256
Ek-257
Ek-258
Ek-259
Ek-260
Ek-261
Ek-262
Ek-263
Ek-264
Ek-265
Ek-266
Ek-267
Ek-268
Ek-269
Ek-270
Ek-271
Ek-272
Ek-273
Ek-274
Ek-275
Ek-276
Ek-277
Ek-278
Ek-279
Ek-280
Ek-281
Ek-282
Ek-283
Ek-284
Ek-285
Ek-286
Ek-287
Ek-288
Ek-289
Ek-290
Ek-291
Ek-292
Ek-293
Ek-294
Ek-295
Ek-296
Ek-297
Ek-298
Ek-299
Ek-300
Ek-301
Ek-302
Ek-303
Ek-304
Ek-305
Ek-306
Ek-307
Ek-308
Ek-309
Ek-310
Ek-311
Ek-312
Ek-313
Ek-314
Ek-315
Ek-316
Ek-317
Ek-318
Ek-319
Ek-320
Ek-321
Ek-322
Ek-323
Ek-324
Ek-325
Ek-326
Ek-327
Ek-328
Ek-329
Ek-330
Ek-331
Ek-332
Ek-333
Ek-334
Ek-335
Ek-336
Ek-337
Ek-338
Ek-339
Ek-340
Ek-341
Ek-342
Ek-343
Ek-344
Ek-345
Ek-346
Ek-347
Ek-348
Ek-349
Ek-350
Ek-351
Ek-352
Ek-353
Ek-354
Ek-355
Ek-356
Ek-357
Ek-358
Ek-359
Ek-360
Ek-361
Ek-362
Ek-363
Ek-364
Ek-365
Ek-366
Ek-367
Ek-368
Ek-369
Ek-370
Ek-371
Ek-372
Ek-373
Ek-374
Ek-375
Ek-376
Ek-377
Ek-378
Ek-379
Ek-380
Ek-381
Ek-382
Ek-383
Ek-384
Ek-385
Ek-386
Ek-387
Ek-388
Ek-389
Ek-390
Ek-391
Ek-392
Ek-393
Ek-394
Ek-395
Ek-396
Ek-397
Ek-398
Ek-399
Ek-400
Ek-401
Ek-402
Ek-403
Ek-404
Ek-405
Ek-406
Ek-407
Ek-408
Ek-409
Ek-410
Ek-411
Ek-412
Ek-413
Ek-414
Ek-415
Ek-416
Ek-417
Ek-418
Ek-419
Ek-420
Ek-421
Ek-422
Ek-423
Ek-424
Ek-425
Ek-426
Ek-427
Ek-428
Ek-429
Ek-430
Ek-431
Ek-432
Ek-433
Ek-434
Ek-435
Ek-436
Ek-437
Ek-438
Ek-439
Ek-440
Ek-441
Ek-442
Ek-443
Ek-444
Ek-445
Ek-446
Ek-447
Ek-448
Ek-449
Ek-450
Ek-451
Ek-452
Ek-453
Ek-454
Ek-455
Ek-456
Ek-457
Ek-458
Ek-459
Ek-460
Ek-461
Ek-462
Ek-463
Ek-464
Ek-465
Ek-466
Ek-467
Ek-468
Ek-469
Ek-470
Ek-471
Ek-472
Ek-473
Ek-474
Ek-475
Ek-476
Ek-477
Ek-478
Ek-479
Ek-480
Ek-481
Ek-482
Ek-483
Ek-484
Ek-485
Ek-486
Ek-487
Ek-488
Ek-489
Ek-490
Ek-491
Ek-492
Ek-493
Ek-494
Ek-495
Ek-496
Ek-497
Ek-498
Ek-499
Ek-500
Ek-501
Ek-502
Ek-503
Ek-504
Ek-505
Ek-506
Ek-507
Ek-508
Ek-509
Ek-510
Ek-511
Ek-512
Ek-513
Ek-514
Ek-515
Ek-516
Ek-517
Ek-518
Ek-519
Ek-520
Ek-521
Ek-522
Ek-523
Ek-524
Ek-525
Ek-526
Ek-527
Ek-528
Ek-529
Ek-530
Ek-531
Ek-532
Ek-533
Ek-534
Ek-535
Ek-536
Ek-537
Ek-538
Ek-539
Ek-540
Ek-541
Ek-542
Ek-543
Ek-544
Ek-545
Ek-546
Ek-547
Ek-548
Ek-549
Ek-550
Ek-551
Ek-552
Ek-553
Ek-554
Ek-555
Ek-556
Ek-557
Ek-558
Ek-559
Ek-560
Ek-561
Ek-562
Ek-563
Ek-564
Ek-565
Ek-566
Ek-567
Ek-568
Ek-569
Ek-570
Ek-571
Ek-572
Ek-573
Ek-574
Ek-575
Ek-576

[illegible][illegible]

GS TEST Preparation for IELTS, TOEFL, TOEIC, SAT, GRE, GMAT, JET, etc. 1234567890101112 13141516171819202122232425262728293031323334353637383940414243444546474849505152535455565758596061626364656667686970717273747576777879808182838485868788899091929394959697989900

##

###

####

#####

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

######

[illegible][illegible][illegible]

CG TEST

CG TEST MEMBERSHIP FORM
COMPROMISE IN AFFILIATION
MEMBERSHIP FORM
 (Compromising Activities, Non-Consent, Criminal Liability)
 ALL INFORMATION IS SUBJECT TO THE FOLLOWING:

(Please Print)
 (Full Name)

(Please Print)
 (Address)
 (City)
 (State)
 (Zip)

(Please Print)
 (Phone)
 (Area Code)
 (Number)

(Please Print)
 (Email)
 (Address)
 (City)
 (State)
 (Zip)

(Please Print)
 (Date)
 (Month)
 (Day)
 (Year)

(Please Print)
 (Signature)
 (Name)
 (Address)
 (City)
 (State)
 (Zip)

(Please Print)
 (Date)
 (Month)
 (Day)
 (Year)

(Please Print)
 (Address)
 (City)
 (State)
 (Zip)

(Please Print)
 (Phone)
 (Area Code)
 (Number)

(Please Print)
 (Email)
 (Address)
 (City)
 (State)
 (Zip)

(Please Print)
 (Date)
 (Month)
 (Day)
 (Year)

(Please Print)
 (Signature)
 (Name)
 (Address)
 (City)
 (State)
 (Zip)

(Please Print)
 (Date)
 (Month)
 (Day)
 (Year)

(Please Print)
 (Address)
 (City)
 (State)
 (Zip)

(Please Print)
 (Phone)
 (Area Code)
 (Number)

(Please Print)
 (Email)
 (Address)
 (City)
 (State)
 (Zip)

(Please Print)
 (Date)
 (Month)
 (Day)
 (Year)

(Please Print)
 (Signature)
 (Name)
 (Address)
 (City)
 (State)
 (Zip)

(Please Print)
 (Date)
 (Month)
 (Day)
 (Year)

[illegible][illegible][illegible]

	BC 100 SERİSİ / SERIES	UZUNLUK LENGTH		GENİŞLİK WIDTH		DERİNLİĞİ DEPTH		KAPAK DERİNLİĞİ COVER DEPTH		GÖVDE DERİNLİĞİ BODY DEPTH	
		(mm)	(inc)	(mm)	(inc)	(mm)	(inc)	(mm)	(inc)	(mm)	(inc)
	İÇ ÖLÇÜLER INTERIOR DIMENSIONS	193	7,6	129	5,1	85	3,3	20	0,78	65	2,55
	DIŞ ÖLÇÜLER EXTERNAL DIMENSIONS	220	8,66	180	7,08	100	3,93				
	BOŞ AĞIRLIK EMPTY WEIGHT	0,55 KG / 1,21 lb.									
	HACİM CAPACITY	2,11 Lt. / US gal dry 0,479									
	ÇALIŞMA SICAKLIĞI OPERATING TEMPERATURE	°C (min -30 / max.+65) / °F (min -22 / max.149)									

	BC 200 SERİSİ / SERIES	UZUNLUK LENGTH		GENİŞLİK WIDTH		DERİNLİĞİ DEPTH		KAPAK DERİNLİĞİ COVER DEPTH		GÖVDE DERİNLİĞİ BODY DEPTH	
		(mm)	(inc)	(mm)	(inc)	(mm)	(inc)	(mm)	(inc)	(mm)	(inc)
	İÇ ÖLÇÜLER INTERIOR DIMENSIONS	243	9,56	188	7,4	105	4,13	30	1,18	75	2,95
	DIŞ ÖLÇÜLER EXTERNAL DIMENSIONS	272	10,7	249	9,8	124	4,88				
	BOŞ AĞIRLIK EMPTY WEIGHT	1,125 KG / 2,48 lb.									
	HACİM CAPACITY	4,86 Lt. / US gal dry 1,104									
	ÇALIŞMA SICAKLIĞI OPERATING TEMPERATURE	°C (min -30 / max.+65) / °F (min -22 / max.149)									

	BC 210 SERİSİ / SERIES	UZUNLUK LENGTH		GENİŞLİK WIDTH		DERİNLİĞİ DEPTH		KAPAK DERİNLİĞİ COVER DEPTH		GÖVDE DERİNLİĞİ BODY DEPTH	
		(mm)	(inc)	(mm)	(inc)	(mm)	(inc)	(mm)	(inc)	(mm)	(inc)
	İÇ ÖLÇÜLER INTERIOR DIMENSIONS	243	9,56	188	7,4	155	6,1	30	1,18	125	4,92
	DIŞ ÖLÇÜLER EXTERNAL DIMENSIONS	272	10,7	249	9,8	172	9,77				
	BOŞ AĞIRLIK EMPTY WEIGHT	1,285 KG / 2,83 lb.									
	HACİM CAPACITY	7,08 Lt. / US gal dry 1,870									
	ÇALIŞMA SICAKLIĞI OPERATING TEMPERATURE	°C (min -30 / max.+65) / °F (min -22 / max.149)									

	BC 300 SERİSİ / SERIES	UZUNLUK LENGTH		GENİŞLİK WIDTH		DERİNLİĞİ DEPTH		KAPAK DERİNLİĞİ COVER DEPTH		GÖVDE DERİNLİĞİ BODY DEPTH	
		(mm)	(inc)	(mm)	(inc)	(mm)	(inc)	(mm)	(inc)	(mm)	(inc)
	İÇ ÖLÇÜLER INTERIOR DIMENSIONS	313	12,32	242	9,52	130	5,1	30	1,18	100	3,93
	DIŞ ÖLÇÜLER EXTERNAL DIMENSIONS	345	13,58	302	11,88	150	5,9				
	BOŞ AĞIRLIK EMPTY WEIGHT	1,72 KG / 3,79 lb.									
	HACİM CAPACITY	9,95 Lt. / US gal dry 2,261									
	ÇALIŞMA SICAKLIĞI OPERATING TEMPERATURE	°C (min -30 / max.+65) / °F (min -22 / max.149)									

	BC 310 SERİSİ / SERIES	UZUNLUK LENGTH		GENİŞLİK WIDTH		DERİNLİĞİ DEPTH		KAPAK DERİNLİĞİ COVER DEPTH		GÖVDE DERİNLİĞİ BODY DEPTH	
		(mm)	(inc)	(mm)	(inc)	(mm)	(inc)	(mm)	(inc)	(mm)	(inc)
	İÇ ÖLÇÜLER INTERIOR DIMENSIONS	313	12,32	242	9,52	180	7,08	30	1,18	150	5,9
	DIŞ ÖLÇÜLER EXTERNAL DIMENSIONS	345	13,58	302	11,88	198	7,79				
	BOŞ AĞIRLIK EMPTY WEIGHT	1,92 KG / 4,23 lb.									
	HACİM CAPACITY	13,72 Lt. / US gal dry 3,6248									
	ÇALIŞMA SICAKLIĞI OPERATING TEMPERATURE	°C (min -30 / max.+65) / °F (min -22 / max.149)									

	BC 400 SERİSİ / SERIES	UZUNLUK LENGTH		GENİŞLİK WIDTH		DERİNLİĞİ DEPTH		KAPAK DERİNLİĞİ COVER DEPTH		GÖVDE DERİNLİĞİ BODY DEPTH	
		(mm)	(inc)	(mm)	(inc)	(mm)	(inc)	(mm)	(inc)	(mm)	(inc)
	İÇ ÖLÇÜLER INTERIOR DIMENSIONS	390	15,35	305	12	140	5,51	40	1,57	100	3,93
	DIŞ ÖLÇÜLER EXTERNAL DIMENSIONS	420	16,53	363	14,29	158	6,22				
	BOŞ AĞIRLIK EMPTY WEIGHT	2,26 KG / 4,98 lb.									
	HACİM CAPACITY	16,48 Lt. / US gal dry 4,355									
	ÇALIŞMA SICAKLIĞI OPERATING TEMPERATURE	°C (min -30 / max.+65) / °F (min -22 / max.149)									

	BC 410 SERİSİ / SERIES	UZUNLUK LENGTH		GENİŞLİK WIDTH		DERİNLİĞİ DEPTH		KAPAK DERİNLİĞİ COVER DEPTH		GÖVDE DERİNLİĞİ BODY DEPTH	
		(mm)	(inc)	(mm)	(inc)	(mm)	(inc)	(mm)	(inc)	(mm)	(inc)
	İÇ ÖLÇÜLER INTERIOR DIMENSIONS	390	15,35	305	12	190	7,48	40	1,57	150	5,9
	DIŞ ÖLÇÜLER EXTERNAL DIMENSIONS	420	16,53	365	14,37	208	8,18				
	BOŞ AĞIRLIK EMPTY WEIGHT	2,59 KG / 5,72 lb.									
	HACİM CAPACITY	22,37 Lt. / US gal dry 5,911									
	ÇALIŞMA SICAKLIĞI OPERATING TEMPERATURE	°C (min -30 / max.+65) / °F (min -22 / max.149)									

	BC 500 SERİSİ / SERIES	UZUNLUK LENGTH		GENİŞLİK WIDTH		DERİNLİĞİ DEPTH		KAPAK DERİNLİĞİ COVER DEPTH		GÖVDE DERİNLİĞİ BODY DEPTH	
		(mm)	(inc)	(mm)	(inc)	(mm)	(inc)	(mm)	(inc)	(mm)	(inc)
	İÇ ÖLÇÜLER INTERIOR DIMENSIONS	460	18,1	330	13	130	5,1	50	1,96	80	3,15
	DIŞ ÖLÇÜLER EXTERNAL DIMENSIONS	490	19,3	390	15,35	153	6,02				
	BOŞ AĞIRLIK EMPTY WEIGHT	2,8 KG / 6,17 lb.									
	HACİM CAPACITY	19,73 Lt. / US gal dry 4,479									
	ÇALIŞMA SICAKLIĞI OPERATING TEMPERATURE	°C (min -30 / max.+65) / °F (min -22 / max.149)									

	BC 510 SERİSİ / SERIES	UZUNLUK LENGTH		GENİŞLİK WIDTH		DERİNLİĞİ DEPTH		KAPAK DERİNLİĞİ COVER DEPTH		GÖVDE DERİNLİĞİ BODY DEPTH	
		(mm)	(inc)	(mm)	(inc)	(mm)	(inc)	(mm)	(inc)	(mm)	(inc)
	İÇ ÖLÇÜLER INTERIOR DIMENSIONS	460	18,1	330	13	170	6,7	50	1,96	120	4,72
	DIŞ ÖLÇÜLER EXTERNAL DIMENSIONS	490	19,3	390	15,35	193	7,6				
	BOŞ AĞIRLIK EMPTY WEIGHT	3,08 KG / 6,79 lb.									
	HACİM CAPACITY	25,8 Lt. / US gal dry 5,857									
	ÇALIŞMA SICAKLIĞI OPERATING TEMPERATURE	°C (min -30 / max.+65) / °F (min -22 / max.149)									

IM EX is dust, water, and moisture-proof with its design and strong structure.
It is resistant to impacts in harsh climatic conditions.

Depending on the internal dimensions of IM EX, in the protection of military equipment that is important to you,
in the protection of camera-action cameras,

It offers complete solutions for the protection of laptops/drones, the protection of weapons and ammunition, with a
special sponge variety for you, and the shape and need of the product you want to protect.



2701 COZART RD MULBERRY,
FL 33860-8966
+1 (656) 215-6714
imexarms.com
info@imexarms.com